



Wound closure with Leukosan® Skin Link™

What is SkinLink™ ?

SkinLink™ is a reliable method of skin closure which does not require sutures or staples. It comes in two parts – adhesive tapes similar to a steristrip or bandaid and clear glue which holds the tapes in place.

It is important that you follow these instructions to make sure the wound heals properly and as scar free as possible.

Directions for use

- Do not rub, pick or scratch your SkinLink™ – this could result in the SkinLink™ becoming loose which could lead to the wound reopening.
- Do not apply lotions or ointments on or around SkinLink™ or the wound.
- Do not remove SkinLink™ before healing is complete – healing usually takes -10 days.
- SkinLink™ will fall off by itself or may be removed after healing is complete.
- When SkinLink™ begins to curl, the edges may be carefully trimmed with scissors.
- Keep the wound clean.
- Your child can have a quick shower or bath, but avoid prolonged soaking and swimming.
- Carefully pat dry the wound area after washing and be careful not to not rub SkinLink™.

Signs of infection

Observe the wound for signs of infection which may include:

- fever within 48 hours of the injury
- redness
- swelling
- increase in pain
- discharge from the wound

If you are concerned about possible signs of infection or have any other concerns take your child to the GP or local emergency department.

Wound healing and scarring

Scars form as a normal part of healing whenever the skin is damaged. All cuts will heal with a scar, however, the scar will be less noticeable if good care is given to the wound when it is healing.

During the first six to eight weeks after the injury, the scar will change from a thick, red raised scar to a thinner, paler, more flexible one. Scars can take up to two years to fully mature. The final

appearance of the scar depends on several factors including the extent of the original wound, inherited skin qualities and how well the scar was looked after.

How to look after your scar

Scar massage

After the sutures have been removed from a wound, or around two to four weeks after the injury, scar massage can be performed. This should be done for five to ten minutes, twice a day. Do not massage any scar that is open or looks infected.

For the first two to four weeks, massage should be done along the same direction as the incision. The pressure applied should be enough to change the colour of the scar from pink to pale, but should not be so firm that it is painful.

After about four weeks, the scar can be massaged in all directions. Continue to massage daily until the scar is pale and thin.

Moisturising

Lotions such as Vitamin E cream, aloe vera, sorbolene or other un-fragranced products can be used to soften the scar and make massage easier.

Sun protection

It is very important to protect the scar from sun damage, which can permanently discolour the scar. You should always cover the scar with at least SPF 30 sunblock or zinc cream, wear clothing that covers the scar and stay in the shade.

Daily activity

It is important that your child avoids activities that will get the wound dirty.

Problem scars

A scar is a problem if it is painful or itchy, hard or raised, restricts movement or remains purple or red.

Risk factors for problem scars include certain skin types (especially dark, Mediterranean or Asian skin), previous problem scars, or post-operative wound complications such as poor healing (greater than three weeks) or infection.

You should contact your GP if you are concerned that your child's scar is not healing as expected.

Produced by: Emergency Department CAHS 0544 Rev.4 November 2015

Princess Margaret Hospital for Children, Child and Adolescent Health Service
Roberts Road, Subiaco WA 6008

Disclaimer: This publication is for general education and information purposes.

Contact a qualified healthcare professional for any medical advice needed.

© State of Western Australia, Department of Health.

This information
can be made
available in
alternative
formats for a
person with a
disability.